

**Medición 1 - Lana Mineral**

<b>MATERIAL</b>	Lana Mineral
<b>Características</b>	Lana Mineral Semi Rígida de 5 centímetros de espesor
<b>Fecha medición</b>	30-05-2005
<b>Temperatura</b>	15° c

Frecuencias	1/3 octava	1/1 octava
100	0,22	
125	0,23	0,23
160	0,23	
200	0,25	
250	0,29	0,29
315	0,35	
400	0,40	
500	0,51	0,51
630	0,62	
800	0,77	
1000	0,88	0,88
1250	0,91	
1600	0,94	
2000	0,96	0,96
2500	0,96	
3150	0,96	
4000	0,96	



<b>NRC</b>	<b>0,66</b>
<b>SAA</b>	<b>0,65</b>

