

Medición 4 - Lana Mineral

MATERIAL	Lana de Vidrio
Características	Lana de vidrio de densidad 80 Kg/m3
Fecha medición	30 - 05 - 05.
Temperatura	15° c

Frecuencias	1/3 octava	1/1 octava
100	0,12	
125	0,12	0,12
160	0,14	
200	0,16	
250	0,18	0,18
315	0,20	
400	0,24	
500	0,31	0,31
630	0,40	
800	0,52	
1000	0,64	0,64
1250	0,81	
1600	0,90	
2000	0,96	0,96
2500	0,99	
3150	0,98	
4000	0,96	



NRC	0,52
SAA	0,53

